Chemwatch Material Safety Data Sheet

Issue Date: 10-Jul-2008

XC9317EC

CHEMWATCH 5129-05 Version No:4 CD 2008/2 Page 1 of 5

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

MAPEI ADEFLEX R

PRODUCT USE

Cement based powder adhesive. (VOC per CA South Coast Air Quality Management District, Rule 1168)

SUPPLIER Company:Mapei Pty Ltd Address: 12 Parkview Drive Archerfield QLD, 4108 AUS

Telephone:+61 7 3276 5000 Fax: +61 7 3276 5076

CHEMWATCH HAZARD RATINGS



Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

POISONS SCHEDULE None

RISK Causes burns. Risk of serious damage to eyes. SAFETY Keep locked up. Wear suitable protective clothing.

To clean the floor and all objects contaminated by this material use water and detergent.

Take off immediately all contaminated clothing.

In case of accident or if you feel unwell IMMEDIATELY contact Doctor or Poisons Information Centre (show label if possible).

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME CAS RN % portland cement 65997-15-1 35-49.99

Chemwatch Material Safety Data Sheet

Issue Date: 10-Jul-2008

XC9317EC

CHEMWATCH 5129-05 Version No:4 CD 2008/2 Page 2 of 5

Section 4 - FIRST AID MEASURES

SWALLOWED

- · For advice, contact a Poisons Information Centre or a doctor at once.
- · Urgent hospital treatment is likely to be needed.

EYE

If this product comes in contact with the eyes:

- · Immediately hold eyelids apart and flush the eye continuously with running water.
- · Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

SKIN

If skin or hair contact occurs:

- · Immediately flush body and clothes with large amounts of water, using safety shower if available.
- · Quickly remove all contaminated clothing, including footwear.

INHALED

- · If fumes or combustion products are inhaled remove from contaminated area.
- · Lay patient down. Keep warm and rested.

NOTES TO PHYSICIAN

For acute or short-term repeated exposures to highly alkaline materials:

- · Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- · Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- \cdot There is no restriction on the type of extinguisher which may be used.
- · Use extinguishing media suitable for surrounding area.

FIRE FIGHTING

- · Alert Fire Brigade and tell them location and nature of hazard.
- · Wear breathing apparatus plus protective gloves for fire only.

FIRE/EXPLOSION HAZARD

- Non combustible.
- Not considered a significant fire risk, however containers may burn.

Decomposition may produce toxic fumes of: metal oxides.

May emit poisonous fumes.

May emit corrosive fumes.

FIRE INCOMPATIBILITY

None known.

HAZCHEM: None

Personal Protective Equipment

Gas tight chemical resistant suit.

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

- Remove all ignition sources.
- Clean up all spills immediately.

MAJOR SPILLS

Moderate hazard.

- · CAUTION: Advise personnel in area.
- · Alert Emergency Services and tell them location and nature of hazard.

Chemwatch Material Safety Data Sheet

Issue Date: 10-Jul-2008 XC9317EC CHEMWATCH 5129-05 Version No:4 CD 2008/2 Page 3 of 5

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- · Avoid all personal contact, including inhalation.
- · Wear protective clothing when risk of exposure occurs.

SUITABLE CONTAINER

- Polyethylene or polypropylene container.
- · Check all containers are clearly labelled and free from leaks.

STORAGE INCOMPATIBILITY

None known.

STORAGE REQUIREMENTS

- · Store in original containers.
- · Keep containers securely sealed.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source Material TWA mg/m³

Australia Exposure Standards portland cement (Portland cement (a))

PERSONAL PROTECTION

RESPIRATOR

Particulate

EYE

- · Chemical goggles.
- · Full face shield may be required for supplementary but never for primary protection of eyes.

HANDS/FEET

Wear chemical protective gloves, eg. PVC.

NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

OTHER

- · Overalls.
- · P.V.C. apron.

ENGINEERING CONTROLS

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

White powder with a slight odour, typical of cement; does not mix with water.

PHYSICAL PROPERTIES Does not mix with water. Sinks in water. Alkaline.

Molecular Weight: Not Available Melting Range (°C): Not Applicable Solubility in water (g/L): Immiscible pH (1% solution): 12 (10% dispersion) Volatile Component (%vol): <0.1 g/l (VOC) Boiling Range (°C): Not Applicable Specific Gravity (water=1): 1.5 pH (as supplied): Not Available Vapour Pressure (kPa): Not Available Evaporation Rate: Not Applicable

Chemwatch Material Safety Data Sheet

Issue Date: 10-Jul-2008

XC9317EC

State: Divided Solid

CHEMWATCH 5129-05 Version No:4 CD 2008/2 Page 4 of 5

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Relative Vapour Density (air=1): Not Applicable Lower Explosive Limit (%): Not Available Autoignition Temp (°C): Not Available

Flash Point (°C): Not Applicable

Upper Explosive Limit (%): Not Available Decomposition Temp (°C): Not Available

Viscosity: Not Available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- · Presence of incompatible materials.
- · Product is considered stable.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS Causes burns. Risk of serious damage to eyes. CHRONIC HEALTH EFFECTS Not applicable.

TOXICITY AND IRRITATION

Not available. Refer to individual constituents.

PORTLAND CEMENT:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound.

Section 12 - ECOLOGICAL INFORMATION

No data

Section 13 - DISPOSAL CONSIDERATIONS

- · Containers may still present a chemical hazard/ danger when empty.
- · Return to supplier for reuse/ recycling if possible.
- · Recycle wherever possible.
- · Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA, IMDG

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE: None

REGULATIONS

Mapei Adeflex R (CAS: None):

Chemwatch Material Safety Data Sheet Issue Date: 10-Jul-2008

XC9317EC

CHEMWATCH 5129-05
Version No:4
CD 2008/2 Page 5 of 5
Section 15 - REGULATORY INFORMATION

No regulations applicable

portland cement (CAS: 65997-15-1) is found on the following regulatory lists; Australia Exposure Standards Australia High Volume Industrial Chemical List (HVICL) Australia Inventory of Chemical Substances (AICS) OECD Representative List of High Production Volume (HPV) Chemicals

Section 16 - OTHER INFORMATION

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references.

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 10-Jul-2008 Print Date: 10-Jul-2008